

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2911	726/4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:22
L2	68323	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:22
L3	1022	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls) AND (LDAP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:23
L4	1	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls) AND (LDAP) AND "third application server"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:23
L5	0	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls) AND (LDAP) AND "third application server".clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:24
L6	0	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls) AND (LDAP NEAR authentication NEAR plugin).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:24
L7	0	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls) AND (LDAP NEAR authentication NEAR plug-in).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:24

L8	2	("713"/\$.ccls. "380"/\$.ccls. "726"/\$.ccls) AND (LDAP NEAR authentication).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:24
L9	0	("713"/\$.ccls. "380"/\$.ccls. "726"/\$.ccls) AND (LDAP).clm. AND (authentication NEAR token).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:25
L10	7	("713"/\$.ccls. "380"/\$.ccls. "726"/\$.ccls) AND (LDAP).clm. AND (authentication).clm. AND token.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:26
L11	1	(726/4.ccls.) AND (LDAP).clm. AND (authentication).clm. AND token.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/25 15:28
S1	1	10/731371	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 14:06
S2	53	LDAP and Tuxedo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:08
S3	37	LDAP and Tuxedo AND enterprise NEAR server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:09
S4	36	LDAP and Tuxedo AND enterprise NEAR server AND version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:10

S5	34	LDAP and Tuxedo AND enterprise NEAR server AND version AND consolidat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:12
S6	75	"6141686"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:12
S7	2	"20020029200"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:13
S8	113	centrali\$3 WITH security AND enterprise NEAR server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:14
S9	4	centrali\$3 WITH security AND enterprise NEAR server AND tuxedo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:14
S10	45	centrali\$3 WITH security AND enterprise NEAR server AND consolidat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:26
S11	1	centrali\$3 WITH security AND enterprise NEAR server AND consolidat\$3 AND tpinit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:16
S12	11	tpinit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:18

S13	12	"6957348"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:27
S14	81	"6088804"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:28
S15	12	single WITH security WITH administration AND enterprise NEAR server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:30
S16	30	LDAP NEAR authentication NEAR server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:37
S17	33	LDAP NEAR server AND authentication NEAR token	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:37
S18	4	tpinit AND tuxedo AND weblogic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:39
S19	55	"5339403"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:46
S20	16	tuxedo WITH weblogic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:40

S21	0	726/04.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:40
S22	1472	726/4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 19:14
S23	104	S22 AND LDAP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 19:14
S24	3	S22 AND LDAP AND tuxedo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 19:14
S25	42	LDAP WITH ACL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:40
S26	6	enterprise NEAR server WITH ACL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:49
S27	2	Tuxedo WITH ACL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:49
S28	119	LDAP NEAR authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 14:46

S29	18	LDAP NEAR authentication AND single WITH security	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 14:46
S30	8	LDAP NEAR authentication AND single WITH security and application AND enterprise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 15:14
S31	55	LDAP and Tuxedo AND security	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:38
S32	33	LDAP and Tuxedo AND security WITH single	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:39
S33	4	LDAP and Tuxedo AND security WITH single AND weblogic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:39
S34	37	LDAP and Tuxedo AND migrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:21
S35	34	LDAP and Tuxedo AND migrating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:21
S36	1	tpmigldap	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:22

S37	9	LDAP NEAR authentication AND single WITH security AND updat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/14 16:24
S38	10	LDAP NEAR authentication AND single WITH security AND (updat\$3 migrat \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/14 16:24
S39	1	read NEAR only WITH authentication NEAR backend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:28
S40	64	"6557039"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 10:22
S41	18	embedded NEAR LDAP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 10:24
S42	23134	user WITH group WITH information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 10:54
S43	3247	user NEAR2 group NEAR2 information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 10:54
S44	8	user NEAR2 group NEAR2 information WITH second NEAR server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 10:54

S45	242	user NEAR2 group NEAR2 information AND ("access control list" ACL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 10:55
S46	187	user NEAR2 group NEAR2 information AND ("access control list" ACL) AND authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 10:56
S47	166	user NEAR2 group NEAR2 information AND ("access control list" ACL) AND authentication AND single	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 10:56
S48	103	user NEAR2 group NEAR2 information AND ("access control list" ACL) AND authentication AND LDAP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 10:56
S49	11	"6587888"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 12:37
S50	3	"20040127190"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 12:40
S51	0	10/754318	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 12:41
S52	11	"6973577"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 12:43

S53	2	"20020194496"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 12:54
S54	80	embedded WITH LDAP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 13:24
S55	47	embedded WITH LDAP AND administration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 13:24
S56	99	embedded NEAR2 server AND LDAP AND administration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 13:25
S57	88	embedded NEAR2 server AND LDAP AND administration AND authentica\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 13:25
S58	2579	enterprise NEAR server AND application NEAR server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:04
S59	155	enterprise NEAR server AND application NEAR server AND LDAP WITH authentica\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:05
S60	32	enterprise NEAR server AND application NEAR server AND LDAP WITH authentica\$3 AND ACL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:05
S61	10	"4910460"	USPAT	OR	OFF	2009/06/08 15:26

S62	2	"20030033535"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 17:03
-----	---	---------------	---	----	-----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	0	(726/4.ccls.) AND (LDAP). clm. AND (authentication). clm. AND token.clm.	USPAT; UPAD	OR	OFF	2010/06/25 15:29
L13	2	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls) AND (LDAP).clm. AND (authentication).clm. AND token.clm.	USPAT; UPAD	OR	OFF	2010/06/25 15:29

6/ 25/ 2010 3:51:26 PM**C:\ Documents and Settings\ hwang\ My Documents\ EAST\ Workspaces\ 10731371.wsp**